

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

I. A Relation of one Hannah Taylor, a very Extraordinary Child of about Six Years of Age, who in Face, &c. was as large as a full grown Woman; and of what appeared on the Dissection of her Body: By Dr. Hen. Sampfon, Fellow of the Colledge of Physicians, London.

Annah Taylor was born in Crouched Fryars June 12 1682. She was till three Years old very fickly, lean, and not able to go alone; but about Bartholomewtide, 1685. She began to grow strong and fat, which increased till the time of her Death: She was also a very forward Child of Understanding, had her Pubes grown thick and long, as also Hair under her Arm-pits, and a Downyness upon her Chin, unusual with those of her Sex, except in some aged Persons.

About half a Year before she dyed she began to complain of Pains, especially on her lest side, and voided Gravel often by Urine, and with pain. Her Breath was streight, as is usual to fat People, especially when she went up a pair of Stairs: Yet on that very Evening before she dyed, she walked abroad, was merry and lively, went to Bed, and slept as at other times; but after Midnight awaked, cryed out of a great Pain in her Side, and said, Mother, I want Breath, I shall dye; and in less than a quarter of an hour was quite dead.

The Measures and Weight of her Body were as followeth. Round the Breast a Yard and 2 Inches, over the Hips at the Navel 1 Yard 5 Inches, over the Stomach a Yard, her height 1 Yard wanting an Inch, round the Thigh 1 Foot 9 Inches 2, Calf of the Leg 13 Inches, upper part of the Arm 14 Inches 2, the Wrist

7 Inches, her weight 95 tb. She had a Face as big and broad as any fat grown Woman of 20 Years. Her Chin and Breast were so thick laid with fat, that she was forced to hold up her Head (or rather throw it backward) as she walked. These Measures were all taken before the Dissection. The thickness of the Fat upon the Muscles of the Abdomen was 2 Inches, and not much less upon the Sternum: After the Fat was removed (which was as much as is usually in most far and grown Persons) the Abdomen was yet very protuberant and round, and yet the Fat contained therein not extraordinary much, neither on the Omentum or Mesentery: yet it was more than is usual in well fed Persons, and so much, that with the bigness of the other Internal Parts (which were all of the largest size)it made her have so big and protuberant a Belly. The Guts were all inflamed and thick, the Liver large, the left Kidney (where was the feat of her Misery) exceeding large, and double the bigness of that on the right side; upon the Dissection whereof there issued out a vast quantity of Blood, both from all the Vessels of it, and out of its Pelvis; and after several times Spunging of it, yet it came flowing in from the emulgent Artery: a certain Argument of a great Plenitude in the descending Trunk, which caused the Inflammation in the Mesentery, and the Nephritu in the Kidney: Here was also some small Gravel, which possibly had choaked up the Vreter, though that was not examined; but because there was no Blood in the Bladder I justly make this Conjecture. The Uterine Parts had nothing bigger, or more remarkable than in others of her Age. The Testicles were large, but smooth and white, without Protuberances or thew of Eggs. The Bladder had a Purulent Matter in it. Breast was denuded of its Fat, it shewed no bigger than of another Child of her Age. The Cavity was totally filled with the Lungs and Heart. The Heart was well, and

and had very strong Fibres, and no Polypus. But the Lungs, besides that they were extended to fill up the whole Cavity, were annexed strongly to several parts of the Pleura, and had several Protuberances as big as Nutmegs filled with a Pulp like an Atheroma, and were in divers places rotten and corrupted. Quare, Why one with so bad Lungs was so Fat? Why had she not rather a Consumption?

The evident cause of her Death lay in the Inslammation of the lower Parts, but the suddenness thereof must be from some impression which that Inslammation made upon the Original of the Nerves moving the Diaphragm, Bronchia and other Parts of Respiration, for her great and only Complaint was want of Breath. Besides her very Face and Head were miserably coloured with redness of stagnant Blood. The Head was not opened.